

Message Text

LIMITED OFFICIAL USE

PAGE 01 STATE 142789
ORIGIN SY-05

INFO OCT-01 AF-10 ISO-00 /016 R

DRAFTED BY A/SY/OPS/T:R WALLER:JW
APPROVED BY A/SY/OPS/T:M H MUSSER
A/SY/OPS/T - C PELCZYNSKI
DESIRED DISTRIBUTION
SY/OPS/FO/AF

-----086984 070125Z /61

R 061858Z JUN 78
FM SECSTATE WASHDC
TO AMEMBASSY ABIDJAN
INFO AMEMBASSY DAKAR
AMEMBASSY PRAIA
AMEMBASSY NAIROBI

LIMITED OFFICIAL USE STATE 142789

E.O. 11652:N/A

TAGS: ASEC

SUBJECT: SECURITY WINDOW - PRAIA

ABIDJAN FOR RSO, OIC/TSO; NAIROBI FOR OIC/RTC, RSS; FROM
A/SY/OPS/T

REF: ABIDJAN 5084 (NOTAL)

1. COMMERCIAL PLASTIC REPRESENTATIVE ADVISES THAT EITHER
RM-1G (1 1/4 INCH LEXGARD WITH 1/4 INCH SAFETY GLASS ON
EXTERIOR SIDE) OR RM-1 (1 1/4 INCH LEXGARD ONLY) READY
MOUNT WINDOWS CAN BE INSTALLED IN SOLID CORE DOOR.

2. ESTIMATED WEIGHT AND COST OF RM-1G: 140 LBS, DOLLARS
LIMITED OFFICIAL USE

LIMITED OFFICIAL USE

PAGE 02 STATE 142789

928.00.

3. ESTIMATED WEIGHT AND COST OF RM-1: 125 LBS, DOLLARS
698.00.

4. IF DECISION IS MADE TO USE SOLID CORE DOOR, IT IS
RECOMMENDED THAT A ROTON HINGE BE USED IN LIEU OF STANDARD

HINGES TO ACCEPT THE WEIGHT OF THE READY MOUNT WINDOW.
ROTON HINGE NO. 0780-0012, ESTIMATED COST DOLLARS 48.00 IS
SUGGESTED. COMMERCIAL PLASTICS ADVISES THEY WILL SUPPLY

THE ROTON HINGE IF DOOR HEIGHT IS ADVISED. TSO ABIDJAN
HAS INFO ON ROTON HINGES.

5. IF INTENTION OF INSTALLATION IS TO PROVIDE PROTECTION
FROM SMALL ARMS (9 MM PROJECTILES), RM-1G UNIT MUST BE
USED, AND OPAQUE PORTION OF DOOR MUST BE BACKED WITH OTHER
ARMORING MATERIALS (SUGGEST 1/4 INCH 2024 T-3 HARDENED
ALUMINUM). IF SOLID CORE DOOR IS DEEMED ADEQUATE PRO-
TECTION FOR OPAQUE PORTION, RM-1 UNIT WILL OFFER EQUAL
PROTECTION IN TRANSPARENT AREA.

6. NOTE: A/SY/OPS/T IS IN THE PROCESS OF EVALUATING A
TALK-THRU COMMUNICATOR FOR THE READY MOUNT WINDOWS. IF
THE SYSTEM WORKS AS DESIGNED, WE WILL ADVISE COMMERCIAL
PLASTICS TO MAKE THE TALK-THRU UNIT AVAILABLE ON FUTURE
ORDERS FOR SUCH WINDOWS IF REQUIRED. A/SY/OPS/T WILL
ADVISE THE FIELD IF THE SYSTEM WORKS AS ANTICIPATED. VANCE

LIMITED OFFICIAL USE

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 jan 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 06 jun 1978
Decaption Date: 01 jan 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 20 Mar 2014
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1978STATE142789
Document Source: CORE
Document Unique ID: 00
Drafter: R WALLER:JW
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Expiration:
Film Number: D780237-0012
Format: TEL
From: STATE
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1978/newtext/t19780690/aaaacznu.tel
Line Count: 83
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: 9bd3e390-c288-dd11-92da-001cc4696bcc
Office: ORIGIN SY
Original Classification: LIMITED OFFICIAL USE
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 2
Previous Channel Indicators: n/a
Previous Classification: LIMITED OFFICIAL USE
Previous Handling Restrictions: n/a
Reference: 78 ABIDJAN 5084
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 22 apr 2005
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 2471719
Secure: OPEN
Status: NATIVE
Subject: SECURITY WINDOW - PRAIA ABIDJAN FOR RSO, OIC/TSO; NAIROBI FOR OIC/RTC, RSS; FROM A/SY/OPS/T
TAGS: ASEC
To: ABIDJAN
Type: TE
vdkgvwkey: odbc://SAS/SAS.dbo.SAS_Docs/9bd3e390-c288-dd11-92da-001cc4696bcc
Review Markings:
Sheryl P. Walter
Declassified/Released
US Department of State
EO Systematic Review
20 Mar 2014
Markings: Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014